Printing date 22.11.2023

Version number 2 (replaces version 1)

Revision: 22.11.2023

· 1.1 Product identifier

- Trade name: smartdent Desinfektionstücher / smartdent Getränkte Desinfektionstücher
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Product category PC8 Biocidal products
- · Application of the substance / the mixture Disinfectant
- · 1.3 Details of the supplier of the safety data sheet

• Manufacturer/Supplier: Hersteller/Lieferant: PRISMAN GmbH Otto Hahn Ring 6-18 D-64653 Lorsch - Germany

Vertrieb durch: OMNIDENT DentalHandelsgesellschaft mbH Gutenbergring 5 D-63110 Rodgau Tel.: +49 (0) 6106 874-0

• Further information obtainable from: Produktmanagement Fon: +49 (6106) 8 74 - 0 • 1.4 Emergency telephone number:

Erreichbar werktags von: 8.00 - 16.30 Uhr Tel: +49 (6106) 874 -0 Fax: +49 (6106) 874 -265 info@omnident.de

#### **SECTION 2: Hazards identification**

2.1 Classification of the substance or mixture
 Classification according to Regulation (EC) No 1272/2008
 Flam. Sol. 1 H228 Flammable solid.

· 2.2 Label elements

· Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

· Hazard pictograms



· Signal word Danger

Hazard-determining components of labelling: propan-1-ol
Hazard statements H228 Flammable solid.
Precautionary statements P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P280 Wear protective gloves / eye protection. P404 Store in a closed container.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.

(Contd. on page 2)

<sup>-</sup> GB

Printing date 22.11.2023

Version number 2 (replaces version 1)

Revision: 22.11.2023

(Contd. of page 1)

Trade name: smartdent Desinfektionstücher / smartdent Getränkte Desinfektionstücher

• **vPvB:** Not applicable.

### **SECTION 3: Composition/information on ingredients**

· 3.2 Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:			
CAS: 64-17-5 EINECS: 200-578-6 Index number: 603-002-00-5 RTECS: KQ 6300000 Reg.nr.: 01-2119457610-43-XXXX	ethanol	🚸 Flam. Liq. 2, H225	25-50%
CAS: 71-23-8 EINECS: 200-746-9 Index number: 603-003-00-0 RTECS: UH 8225000 Reg.nr.: 01-2119486761-29	propan-1-ol	<ul> <li>Flam. Liq. 2, H225</li> <li>Eye Dam. 1, H318</li> <li>STOT SE 3, H336</li> </ul>	2.5-10%
• Additional information: For the w	ording of the listed hazard phrases refer t	to section 16.	

### **SECTION 4: First aid measures**

• 4.1 Description of first aid measures

· After inhalation:

Take affected persons into fresh air and keep quiet.

In case of unconsciousness place patient stably in side position for transportation.

• After skin contact: Generally the product does not irritate the skin.

• After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

• After swallowing:

Rinse out mouth and then drink plenty of water.

A person vomiting while laying on their back should be turned onto their side.

• 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

• 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

### **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- Suitable extinguishing agents:
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- 5.2 Special hazards arising from the substance or mixture
- In case of fire, the following can be released: Carbon monoxide (CO)
- 5.3 Advice for firefighters
- **Protective equipment:**

Do not inhale explosion gases or combustion gases. Mouth respiratory protective device.

(Contd. on page 3)

Printing date 22.11.2023

Version number 2 (replaces version 1)

Revision: 22.11.2023

#### Trade name: smartdent Desinfektionstücher / smartdent Getränkte Desinfektionstücher

(Contd. of page 2)

#### **SECTION 6:** Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Keep away from ignition sources.
- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water. Dilute with plenty of water.
  6.3 Methods and material for containment and cleaning up: Ensure adequate ventilation.
- Pick up mechanically.
- 6.4 Reference to other sections
   See Section 7 for information on safe handling.
   See Section 8 for information on personal protection equipment.
   See Section 13 for disposal information.

### **SECTION 7: Handling and storage**

#### · 7.1 Precautions for safe handling

Keep receptacles tightly sealed. Store in cool, dry place in tightly closed receptacles. Use only in well ventilated areas.

• Information about fire - and explosion protection: Keep ignition sources away - Do not smoke. Highly volatile, flammable constituents are released during processing. Fumes can combine with air to form an explosive mixture.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store only in the original receptacle. Store in a cool location.
- Information about storage in one common storage facility: Store away from oxidising agents. Store away from foodstuffs.
- Further information about storage conditions: Store receptacle in a well ventilated area. Keep container tightly sealed. Do not store at temperatures exceeding 40°C
- 7.3 Specific end use(s) No further relevant information available.

## **SECTION 8: Exposure controls/personal protection**

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

64-17-5 ethanol

WEL Long-term value: 1920 mg/m<sup>3</sup>, 1000 ppm

71-23-8 propan-1-ol

WEL Short-term value: 625 mg/m<sup>3</sup>, 250 ppm Long-term value: 500 mg/m<sup>3</sup>, 200 ppm

Sk

(Contd. on page 4)

ЪВ

Printing date 22.11.2023

\*

Version number 2 (replaces version 1)

Revision: 22.11.2023

# Trade name: smartdent Desinfektionstücher / smartdent Getränkte Desinfektionstücher

Additional information. The lists valid d	during the making were used as basis. (Contd. of page
, and the second s	uiring the making were used as basis.
8.2 Exposure controls	
Appropriate engineering controls No fur	
Individual protection measures, such as	
	res: Wash hands before breaks and at the end of work.
<b>Respiratory protection:</b> Not required. <b>Hand protection</b>	
	<i>le and resistant to the product/ the substance/ the preparation.</i>
	leration of the penetration times, rates of diffusion and the degradation
Material of gloves	er allon of the perior allon times, rates of allfusion and the degradation
	not only depend on the material, but also on further marks of quality ar
	er. As the product is a preparation of several substances, the resistance
	in advance and has therefore to be checked prior to the application.
Penetration time of glove material	
The exact break through time has to be	e found out by the manufacturer of the protective gloves and has to b
observed.	
	as without heightened risk of injury (e.g. Laboratory) gloves made of th
following material are suitable:	
Rubber gloves	
	e of the following materials are suitable: Neoprene gloves
	e of the following materials are suitable:
Nitrile rubber, NBR Butyl rubber, BR	
Eye/face protection	
Tightly sealed goggles	
SECTION 9: Physical and chemi	
<b>SECTION 9: Physical and chemi</b> 9.1 Information on basic physical and c	
<b>SECTION 9: Physical and chemi</b> 9.1 Information on basic physical and c General Information	chemical properties
<b>SECTION 9: Physical and chemi</b> 9.1 Information on basic physical and c General Information Physical state	chemical properties Solid
SECTION 9: Physical and chemi 9.1 Information on basic physical and c General Information Physical state Colour:	c <b>hemical properties</b> Solid White
SECTION 9: Physical and chemi 9.1 Information on basic physical and c General Information Physical state Colour: Odour:	c <b>hemical properties</b> Solid White Alcohol-like
SECTION 9: Physical and chemi 9.1 Information on basic physical and c General Information Physical state Colour: Odour: Odour:	c <b>hemical properties</b> Solid White Alcohol-like Not determined.
SECTION 9: Physical and chemi 9.1 Information on basic physical and c General Information Physical state Colour: Odour: Odour: Melting point/freezing point:	chemical properties Solid White Alcohol-like Not determined. Undetermined.
SECTION 9: Physical and chemi 9.1 Information on basic physical and c General Information Physical state Colour: Odour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and	chemical properties Solid White Alcohol-like Not determined. Undetermined. d boiling range 78 °C
SECTION 9: Physical and chemi 9.1 Information on basic physical and c General Information Physical state Colour: Odour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and Flammability	chemical properties Solid White Alcohol-like Not determined. Undetermined.
SECTION 9: Physical and chemi 9.1 Information on basic physical and c General Information Physical state Colour: Odour: Odour: Melting point/freezing point: Boiling point or initial boiling point and Flammability Lower and upper explosion limit	chemical properties Solid White Alcohol-like Not determined. Undetermined. d boiling range 78 °C Not determined.
SECTION 9: Physical and chemi 9.1 Information on basic physical and c General Information Physical state Colour: Odour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and Flammability Lower and upper explosion limit Lower:	chemical properties Solid White Alcohol-like Not determined. Undetermined. d boiling range 78 °C Not determined. 3.5 Vol % (liquid)
SECTION 9: Physical and chemi 9.1 Information on basic physical and c General Information Physical state Colour: Odour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and Flammability Lower and upper explosion limit Lower: Upper:	chemical properties Solid White Alcohol-like Not determined. Undetermined. d boiling range 78 °C Not determined. 3.5 Vol % (liquid) 15 Vol % (liquid)
SECTION 9: Physical and chemi 9.1 Information on basic physical and c General Information Physical state Colour: Odour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and Flammability Lower and upper explosion limit Lower: Upper: Flash point:	chemical properties Solid White Alcohol-like Not determined. Undetermined. d boiling range 78 °C Not determined. 3.5 Vol % (liquid) 15 Vol % (liquid) 25 °C (liquid)
SECTION 9: Physical and chemi 9.1 Information on basic physical and c General Information Physical state Colour: Odour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and Flammability Lower and upper explosion limit Lower: Upper: Flash point: Auto-ignition temperature:	chemical properties Solid White Alcohol-like Not determined. Undetermined. d boiling range 78 °C Not determined. 3.5 Vol % (liquid) 15 Vol % (liquid) 25 °C (liquid) 425 °C
SECTION 9: Physical and chemi 9.1 Information on basic physical and c General Information Physical state Colour: Odour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and Flammability Lower and upper explosion limit Lower: Upper: Flash point: Auto-ignition temperature: Decomposition temperature:	chemical properties Solid White Alcohol-like Not determined. Undetermined. d boiling range 78 °C Not determined. 3.5 Vol % (liquid) 15 Vol % (liquid) 25 °C (liquid) 425 °C Not determined.
SECTION 9: Physical and chemi 9.1 Information on basic physical and c General Information Physical state Colour: Odour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and Flammability Lower and upper explosion limit Lower: Upper: Flash point: Auto-ignition temperature: Decomposition temperature: pH at 20 °C	chemical properties Solid White Alcohol-like Not determined. Undetermined. d boiling range 78 °C Not determined. 3.5 Vol % (liquid) 15 Vol % (liquid) 25 °C (liquid) 425 °C
SECTION 9: Physical and chemi 9.1 Information on basic physical and c General Information Physical state Colour: Odour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and Flammability Lower and upper explosion limit Lower: Upper: Flash point: Auto-ignition temperature: Decomposition temperature: pH at 20 °C Viscosity:	chemical properties Solid White Alcohol-like Not determined. Undetermined. d boiling range 78 °C Not determined. 3.5 Vol % (liquid) 15 Vol % (liquid) 25 °C (liquid) 425 °C Not determined. <10 (liquid)
SECTION 9: Physical and chemi 9.1 Information on basic physical and c General Information Physical state Colour: Odour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and Flammability Lower and upper explosion limit Lower: Upper: Flash point: Auto-ignition temperature: Decomposition temperature: pH at 20 °C	chemical properties Solid White Alcohol-like Not determined. Undetermined. d boiling range 78 °C Not determined. 3.5 Vol % (liquid) 15 Vol % (liquid) 25 °C (liquid) 425 °C Not determined.

Printing date 22.11.2023

Version number 2 (replaces version 1)

Revision: 22.11.2023

#### Trade name: smartdent Desinfektionstücher / smartdent Getränkte Desinfektionstücher

	(Contd. of page -
· Solubility	
water:	Partly soluble.
· Partition coefficient n-octanol/water (log value)	Not determined.
· Vapour pressure at 20 °C:	59 hPa
· Density and/or relative density	
· Density at 20 °C:	0.91 g/cm <sup>3</sup> (liquid)
· Relative density	Not determined.
Vapour density	Not applicable.
• 9.2 Other information	
· Appearance:	
· Form:	Liquid on inert carrier material
Important information on protection of health	and
environment, and on safety.	
Ignition temperature:	Product is not selfigniting.
• Explosive properties:	Product is not explosive. However, formation of explosive air/vapour mixtures are possible.
· Solvent content:	
· Organic solvents:	51 % (liquid)
· Water:	<50 % (liquid)
· VOC (EC)	51 % (liquid)
· Change in condition	
· Evaporation rate	Not applicable.
· Information with regard to physical hazard classes	S
· Explosives	Void
· Flammable gases	Void
· Aerosols	Void
• Oxidising gases	Void
· Gases under pressure	Void
· Flammable liquids	Void
· Flammable solids	Flammable solid.
• Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
· Pyrophoric solids	Void
· Self-heating substances and mixtures	Void
· Substances and mixtures, which emit flammable g	ases
in contact with water	Void
· Oxidising liquids	Void
• Oxidising solids	Void
· Organic peroxides	Void
· Corrosive to metals	Void
· Desensitised explosives	Void

### **SECTION 10: Stability and reactivity**

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.

(Contd. on page 6)

GB

Printing date 22.11.2023

Version number 2 (replaces version 1)

Revision: 22.11.2023

Trade name: smartdent Desinfektionstücher / smartdent Getränkte Desinfektionstücher

(Contd. of page 5)

• 10.6 Hazardous decomposition products: No dangerous decomposition products known.

### **SECTION 11: Toxicological information**

• 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 • Acute toxicity Based on available data, the classification criteria are not met.

### · LD/LC50 values relevant for classification:

ATE (Acu	te Toxicity	Estimates)

*Oral LD50 23,375 mg/kg* 

#### 64-17-5 ethanol

Oral	LD50	>2,000 mg/kg (rat)
Dermal	LD50	>2,000 mg/kg (rabbit)
Inhalative	LC50/4 h	>20 mg/l (rat)

71-23-8 propan-1-ol

-	-	
Oral	LD50	5,400 mg/kg /male (rat)
	LD50	4,032 mg/kg (rabbit)
Inhalative	LC50/4 h	>33.8 mg/l /4h (rat)

· Skin corrosion/irritation Based on available data, the classification criteria are not met.

• Serious eye damage/irritation Based on available data, the classification criteria are not met.

• Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

· Germ cell mutagenicity Based on available data, the classification criteria are not met.

· Carcinogenicity Based on available data, the classification criteria are not met.

• *Reproductive toxicity Based on available data, the classification criteria are not met.* 

• **STOT-single exposure** Based on available data, the classification criteria are not met.

• STOT-repeated exposure Based on available data, the classification criteria are not met.

• Aspiration hazard Based on available data, the classification criteria are not met.

• Additional toxicological information:

• Sensitisation Based on available data, the classification criteria are not met.

· 11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

### **SECTION 12: Ecological information**

· 12.1 Toxicity
-----------------

• Aquatic to	oxicity:
64-17-5 et	thanol
EC50	>10,000 mg/kg (daphnia)
EC50	275 mg/l (A)
	>10,000 mg/l (daphnia)
LC50/96h	15,300 mg/l (fish)
LC50/48h	5,012 mg/l (daphnia)
71-23-8 pi	ropan-1-ol
EC50	1,000 mg/l (Bel) 3,644 mg/l (daphnia)
	3,644 mg/l (daphnia)
	(Contd. on page 7)

Printing date 22.11.2023

Version number 2 (replaces version 1)

Revision: 22.11.2023

(Contd. of page 6)

#### Trade name: smartdent Desinfektionstücher / smartdent Getränkte Desinfektionstücher

LC50/96h 4,555 mg/l (fish)

- · 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- *PBT:* Not applicable.
- **vPvB:** Not applicable.
- · 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
- Additional ecological information:
- General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

### **SECTION 13: Disposal considerations**

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation:
- Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.
- *Recommended cleansing agents: Water, if necessary together with cleansing agents.*

14.1 UN number or ID number ADR, IMDG, IATA	UN3175
14.2 UN proper shipping name ADR	3175 SOLIDS CONTAINING FLAMMABLE LIQUID, N.O. (ETHANOL (ETHYL ALCOHOL), n-PROPANOL (PROPY
IMDG	ALCOHOL, NORMAL)) SOLIDS CONTAINING FLAMMABLE LIQUID, N.O. (ETHANOL (ETHYL ALCOHOL), n-PROPANOL (PROPY ALCOHOL, NORMAL))
IATA	SOLIDS CONTAINING FLAMMABLE LIQUID, N.O., (ETHANOL, n-PROPANOL (PROPYL ALCOHO) NORMAL))
14.3 Transport hazard class(es)	
ADR, IMDG, IATA	
	4.1 Flammable solids, self-reactive substances, polymerizir

Printing date 22.11.2023

Version number 2 (replaces version 1)

Revision: 22.11.2023

#### Trade name: smartdent Desinfektionstücher / smartdent Getränkte Desinfektionstücher

	(Contd. of page 7
· 14.4 Packing group · ADR, IMDG, IATA	II
· 14.5 Environmental hazards: · Marine pollutant:	No
• 14.6 Special precautions for user	Warning: Flammable solids, self-reactive substances polymerizing substances and solid desensitized explosives
· Hazard identification number (Kemler code): · EMS Number:	40 F-A,S-I
· 14.7 Maritime transport in bulk according to IM instruments	<i>10</i> Not applicable.
· Transport/Additional information:	
· ADR · Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 500 g
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	l kg Code: E2 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 500 g

### **SECTION 15: Regulatory information**

• 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture • Labelling according to Regulation (EC) No 1272/2008

GHS label elements

- *The product is classified and labelled according to the GB CLP regulation. Hazard pictograms*
- GHS02
- · Signal word Danger
- Hazard-determining components of labelling: propan-1-ol
- Hazard statements H228 Flammable solid.
- · Precautionary statements
- *P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P280 Wear protective gloves / eye protection.*
- P404 Store in a closed container.
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

(Contd. on page 9)

GB

Printing date 22.11.2023

\*

Version number 2 (replaces version 1)

Revision: 22.11.2023

## Trade name: smartdent Desinfektionstücher / smartdent Getränkte Desinfektionstücher

(Contd. of page 8)

	ent knowledge. However, this shall not constitute a guarantee for a stablish a legally valid contractual relationship.
Relevant phrases	
H225 Highly flammable liquid and vapo	our.
H318 Causes serious eye damage.	
H336 May cause drowsiness or dizzines	ς.
<b>Recommended restriction of use</b> Produ	
Abbreviations and acronyms:	
	ansport des marchandises dangereuses par chemin de fer (Regulations Concerning t Rail)
IATA-DGR: Dangerous Goods Regulations by the	e "International Air Transport Association" (IATA)
ICAO: International Civil Aviation Organisation	
ICAO-TI: Technical Instructions by the "Internat	
	es marchandises dangereuses par route (European Agreement Concerning the Internation
Carriage of Dangerous Goods by Road)	
IMDG: International Maritime Code for Dangero	us Goods
IATA: International Air Transport Association GHS: Globally Harmonised System of Classificat	ion and Labelling of Chemicals
EINECS: European Inventory of Existing Comme	
ELINCS: European List of Notified Chemical Sul	
CAS: Chemical Abstracts Service (division of the	
<i>VOC: Volatile Organic Compounds (USA, EU)</i>	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
Flam. Liq. 2: Flammable liquids – Category 2	
Flam. Sol. 1: Flammable solids – Category 1	
Eye Dam. 1: Serious eye damage/eye irritation –	
STOT SE 3: Specific target organ toxicity (single	exposure) – Category 3